



# Material Safety Data Sheet

Document Code: Pencil/MW  
Version: 11

Date of Preparation  
June 13, 2011

## Section 1 - Product and Company Identification

### PRODUCT NAME & NUMBERS

#### MINWAX® BLEND-FIL® Pencil

- 110016666 #1 Natural Pine - discontinued
- 110026666 #2 Natural, Bleached Woods
- 110036666 #3 Ipswich Pine, Puritan Pine, Fruitwood, Golden Oak, Golden Pecan
- 110046666 #4 Pickled Oak
- 110056666 #5 Colonial Maple, Sedona Red, Gunstock
- 110066666 #6 Cherry, English Chestnut, Red Chestnut
- 110076666 #7 Red Mahogany, Red Oak
- 110086666 #8 Driftwood, Early American, Special Walnut Provincial, Dark Walnut
- 110096666 #9 Ebony, Jacobean

### HMIS CODES

- Health 0
- Flammability 0
- Reactivity 0

### MANUFACTURER'S NAME

MINWAX Company  
10 Mountainview Road  
Upper Saddle River, NJ 07458

### EMERGENCY TELEPHONE NO.

(216) 566-2917

### INFORMATION TELEPHONE NO.

(800) 523-9299

## Section 2 – Composition/Information on Ingredients

% WT.	CAS No.	Ingredient Name
-------	---------	-----------------

No ingredients in these products are hazardous as defined by the Department of Labor.

## Section 3 – Hazards Identification

### ROUTES OF EXPOSURE

None known.

### EFFECTS OF OVEREXPOSURE

None known.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

None known.

### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None generally recognized.

### CANCER INFORMATION

For complete discussion of toxicology data refer to Section 11.

## Section 4 – First Aid Measures

**EYES:** Flush eyes with large amounts of water for 15 minutes.  
Get medical attention.

**SKIN:** Wash affected area thoroughly with soap and water.

**INHALATION:** If affected, remove from exposure. Get medical attention

**INGESTION:** Get medical attention.

## Section 5 – Fire Fighting Measures

FLASH POINT	LEL	UEL
None	N.A.	N.A.

FLAMMABILITY CLASSIFICATION  
Not Applicable

EXTINGUISHING MEDIA

Carbon Dioxide, Dry Chemical, Foam

UNUSUAL FIRE AND EXPLOSION HAZARDS - Not Applicable

SPECIAL FIRE FIGHTING PROCEDURES - Not Applicable

## Section 6 – Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

No special procedures are required. Sweep dust or flakes and dispose of in regular trash.

## Section 7 – Handling and Storage

STORAGE CATEGORY - Not Applicable

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not take internally. Keep out of the reach of children.

## Section 8 – Exposure Controls/Personal Protection

PRECAUTIONS TO BE TAKEN IN USE

Wash hands after using.

These products may contain materials classified as nuisance particulates (listed "as Dust" in Section 2) which may be present at hazardous levels only during sanding or abrading of the dried film. If no specific dusts are listed in Section 2, the applicable limits for nuisance dusts are ACGIH TLV 10 mg/m<sup>3</sup> (total dust), 3 mg/m<sup>3</sup> (respirable fraction), OSHA PEL 15 mg/m<sup>3</sup> (total dust), 5 mg/m<sup>3</sup> (respirable fraction).

Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires the use of proper protective equipment, such as a properly fitted respirator (NIOSH approved) and proper containment and cleanup. For more information, call the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority.

VENTILATION

No special requirements necessary for typical application.

RESPIRATORY PROTECTION

None required during use of these products.

When sanding or abrading the dried film, wear a dust/mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive.

PROTECTIVE GLOVES - None normally required.

EYE PROTECTION - None required.

## Section 9 – Physical and Chemical Properties

PRODUCT WEIGHT	7.8 lb/gal	EVAPORATION RATE	Not Applicable
SPECIFIC GRAVITY	0.94	VAPOR DENSITY	Not Applicable
BOILING POINT	Not Available	MELTING POINT	Not Available
VOLATILE VOLUME	0 %	SOLUBILITY IN WATER	Not Available
VOLATILE ORGANIC COMPOUNDS (VOC Theoretical)			
	0.0 lb/gal	Less Federally Exempt Solvents	
	0.0 lb/gal	Emitted VOC	

## Section 10 – Stability and Reactivity

STABILITY - Stable

CONDITIONS TO AVOID - None known.

INCOMPATIBILITY - None known.

HAZARDOUS DECOMPOSITION PRODUCTS - By fire: Carbon Dioxide, Carbon Monoxide

HAZARDOUS POLYMERIZATION - Will not occur

## Section 11 – Toxicological Information

CHRONIC HEALTH HAZARDS

No ingredient in these products is an IARC, NTP or OSHA listed carcinogen.

TOXICOLOGY DATA

Not Available

## Section 12 – Ecological Information

ECOTOXICOLOGICAL INFORMATION

No data available.

## Section 13 – Disposal Considerations

WASTE DISPOSAL METHOD

Waste from these products is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Dispose of in accordance with Federal, State/Provincial, and Local regulations regarding pollution.

## Section 14 – Transport Information

Not Regulated for Transportation.

## Section 15 – Regulatory Information

SARA 313 (40 CFR 372.65C) SUPPLIER NOTIFICATION

No ingredients in these products are subject to SARA 313 (40 CFR 372.65C) Supplier Notification.

TSCA CERTIFICATION

All chemicals in these products are listed, or are exempt from listing, on the TSCA Inventory.

## Section 16 – Other Information

NOTE: These pencils have been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

The above information pertains to these products as currently formulated, and is based on the information available at this time. Alterations or modifications to these products may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.